

3dcart: Connection Credentials and Settings

Last Modified on 06/19/2019 11:38 am EDT

Overview

Order Time has several integrator e-commerce partners. The partnership with these platforms makes inventory and order processing system significantly efficient.

The screenshot shows the 'Admin > ECommerce Integration > Add Cart' page. It features a grid of six e-commerce platform options, each with a logo, a brief description, and an 'Add' button.

Platform	Description
Magento	More than 240,000 business choose Magento eCommerce Solution.
3d Cart	Shopping Cart Software that is easy to use. Build your online store from your web browser with this eCommerce Software Solution.
Bigcommerce	BigCommerce Shopping Cart Software is the solution for fast-growing brands. No matter what size your business, BigCommerce has a solution that will help you sell more.
Shopify	Whether you sell online, on social media, in store, or out of the trunk of your car, Shopify has you covered.
Woocommerce	The most customizable eCommerce platform for building your online business
Volusion	Shoppers spent more than \$26 billion and placed over 185 million orders on Volusion ecommerce websites.

In Order Time, the e-commerce partners are presented as 'Carts'. When you are setting up your E-commerce Integration in Order Time, you have to add the appropriate connection settings for the cart of your choice.

This article will show you the steps for setting up your Cart and generating connection credentials for 3dcart.

3dcart

1. Log in to [3dcart](#) .
2. On your dashboard, click the **+Add New** button.

3. Enter an **Application Name**.
4. Select the following modules by clicking their checkboxes and click the **Read/Write** button to set the permission for each module.
 - Categories
 - Customer Groups
 - Customers
 - Distributors
 - Gift Registries
 - Manufacturers
 - Orders
 - Products
 - RMA
5. Click the **Create App** button.

Application Name:

Select Module

Permissions Needed by App

 Carts

<input checked="" type="checkbox"/> Categories	Read Only	Read/Write
<input checked="" type="checkbox"/> CustomerGroups	Read Only	Read/Write
<input checked="" type="checkbox"/> Customers	Read Only	Read/Write
<input checked="" type="checkbox"/> Distributors	Read Only	Read/Write
<input checked="" type="checkbox"/> GiftRegistries	Read Only	Read/Write
<input checked="" type="checkbox"/> Manufacturers	Read Only	Read/Write
<input checked="" type="checkbox"/> Orders	Read Only	Read/Write
<input checked="" type="checkbox"/> Products	Read Only	Read/Write
<input type="checkbox"/> Promotions		
<input checked="" type="checkbox"/> RMA	Read Only	Read/Write

6. Take note of the **Public Key**.
7. Take note of the **Client ID** and **Secret Key**.
8. Select the following modules by clicking their checkboxes and click the **Read/Write** button to set the permission for each module.
 - Categories
 - Customer Groups
 - Customers

- Distributors
- Gift Registries
- Manufacturers
- Orders
- Products
- RMA

9. Enter a value in the **Redirect URIs** field.
10. Click **Save**.
11. Copy and paste the Store and the corresponding Token details to save them. You will need these information (credentials) for **adding the connection settings in Order Time**.

The screenshot shows the 3dcart developer portal interface. On the left, there are sections for 'All Order Settings' and 'OAuth'. The 'All Order Settings' section includes fields for Status (Development), Private Key (with a 'show key' link), Public Key (with a green box around the input), Application Dt. Created, IP White List (with an 'edit IP List Information' link), Callback URL, and a checkbox for 'Disable This App'. The 'OAuth' section includes Client Id (with a green box around the input), Secret Key (with a 'show key' link), and Redirect URIs. On the right, there is a list of permissions with checkboxes and 'Read Only'/'Read/Write' buttons. The permissions listed are: Categories, CustomerGroups, Customers, Distributors, GiftRegistries, Manufacturers, Orders, Products, Promotions, and RMA. All checkboxes are checked.

Store	Date Created	Token	Advanced Log
sandbox-com.3dcartstores.com	10/31/2017 2:50:20 PM	566e4	182a Enable Read
			Enable Read


12. Open a new tab or window on your browser and log in to your store manager.
13. Click **Settings > General > Administrator Access**.

The screenshot shows the 3dcart store manager dashboard. On the left is a navigation menu with items: Dashboard, Orders, Products, Customers, Marketing, Content, My Shortcuts, Settings (highlighted with a red box), General (highlighted with a red box), Store Settings, Administrator Access (highlighted with a red box), Distributors, Manufacturers, Checkout Questions, IP Security, and Design. The main dashboard area shows an 'Overview' section with four cards: Orders (0, -100.00%), Revenue (\$0.00, -100.00%), Average Order (-, N/A), and Visitors (0, N/A). Below this is a '\$ Sales' section with a line graph titled 'Sales by Day - From 1/24/2018 to 2/23/2018' showing sales in dollars over time.


14. Click the **+Add New** button if you are going to add new users or administrators.



15. Click **Modules**.



16. Select **Rest API**.
17. Click **Change Settings**.



18. Click the **+Add** button on the upper right hand corner.



19. Enter the **Public Key** that you got from **Step 6** and click +Add.



20. A pop-up window will display the modules that you have selected and their permission settings. Click **+Authorize**.
21. Click **Settings > General > Store Settings**. Take note of the **Secure URL**.
22. Click **Save**.

The screenshot shows the Magento 2 Settings page, General tab, Store Settings section. The left sidebar contains a navigation menu with 'Settings' and 'General' highlighted. The main content area is divided into two columns. The left column contains fields for Store Name, Store Slogan, Store Logo, Email, Store URL, and Store Standards. The right column contains fields for Company Name, Address 1, Address 2, City, State/Province, Country, Zip/Postal Code, Phone, Alternate Phone, Fax, and Invoice Logo. The 'Secure URL' field in the left column is highlighted with a red box. The 'Store URL' field contains 'http://s' and 'cartston'. The 'Secure URL' field contains 'https://' and 'cartsto'. The 'Store Standards' section includes 'Store Time Zone (GMT/UTC)' set to '(GMT-5:00) Eastern Time (US & Canada), Bigota', 'Currency Symbol' set to '\$', and 'Decimal places on Price' set to '2'. A 'Save' button is visible in the top right corner.

23. Proceed to **adding the connection settings in Order Time**.